



# TOLUIDINES

UN 1708

Shipping Name: Toluidines

Other Names: Aminotoluene  
m-Toluidine  
o-Toluidine  
p-Toluidin



## Hazards:

- May interfere with the body's ability to use oxygen
- Irritating to skin, eyes, nose and lungs
- Vapors are heavier than air and will collect and stay in low areas
- Fire fighting gear (including SCBA) does not provide adequate protection. If exposure occurs, remove and isolate gear immediately and thoroughly decontaminate personnel
- Container may BLEVE when exposed to fire
- Combustion and decomposition products upon heating include toxic nitrogen oxides

## Awareness and Operational Level Training Response:

- **Do not put yourself in danger by entering a contaminated area to rescue a victim**
- Stay upwind and uphill
- Determine the extent of the problem
- Isolate the area of release or fire and deny entry
- Remove all ignition sources
- For container exposed to fire evacuate the area in all directions because of the risk of BLEVE
- Evacuate the immediate area and downwind for a large release
- Notify local health and fire officials and pollution control agencies
- If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated water

## Description:

- Colorless to reddish-brown liquid
- Aromatic odor
- Very flammable
- Slightly soluble in water
- Vapors are heavier than air and will collect and stay in low areas

## Operational Level Training Response:

### RELEASE, NO FIRE:

- Stop the release if it can be done safely from a distance
- Prevent material and runoff from entering sewers and waterways if it can be done safely well ahead of the release
- Use large amounts of water to disperse vapors - contain runoff
- Consider the application of foam to large areas of spilled liquid to control vapors
- Ventilate confined area if it can be done without placing personnel at risk

### FIRE:

- Specially trained personnel operating from a safe distance can fight fires using foam or dry chemical if available in sufficient amounts or use fog streams to extinguish burning liquid. Keep exposures cool to protect against re-ignition. Do not direct straight streams into liquid.
- Cool exposed containers with large quantities of water from unattended equipment or remove intact containers if it can be done safely
- If cooling streams are ineffective (venting sound increases in volume and pitch, tank discolors or shows any signs of expanding), withdraw immediately to a secure location

## First Aid:

- **Do not put yourself in danger by entering a contaminated area to rescue a victim**
- Provide Basic Life Support/CPR as needed
- Decontaminate the victim as follows:
  - ♦ Inhalation - remove the victim to fresh air and give oxygen if available
  - ♦ Skin - remove and isolate contaminated clothing (including shoes) and wash skin with soap and large volumes of water for 15 minutes
  - ♦ Eye - rinse eyes with large volumes of water or saline for 15 minutes
  - ♦ Swallowed - do not make the victim vomit
- Seek medical attention
- Note to physician: can cause methemoglobinemia; if symptoms indicate, methylene blue is the initial antidote

CAS: 95-53-4 (o, ortho), 106-49-0 (p, para), 108-44-1 (m, meta)